

Curriculum Vitae

■ Personal Information

Name Sung-Soo Kim
Address 92 Chudong-ro, Bongdong-eup, Wanju-gun,
Jeollabuk-do, 55324, Republic of Korea
Affiliation Korea Institute of Science and Technology Jeonbuk
Institute of Advanced Composite Materials, Wanju-
gun, Jeollabuk-do, 55324, Republic of Korea
Office +82-63-219-8147
E-mail sskim@kist.re.kr
Date of Birth September 8, 1986



■ Professional Experience

Oct 2018 – Current **Senior Researcher, Korea Institute of Science and Technology
Jeonbuk Institute of Advanced Composite Materials, Wanju-gun,
Jeollabuk-do, Republic of Korea.**
Carbon Composite Materials Research Center

■ Academic Experience

Sep 2016 – Sep 2018 **Postdoctoral Associate, University of Minnesota, Minneapolis, MN,
United States of America.**
Department of Chemical Engineering and Materials Science
Advisor: Prof. Dr. Christopher J. Ellison

Sep 2015 – Aug 2016 **Postdoctoral Associate, Seoul National University, Seoul, Republic
of Korea.**
Department of Chemistry
Advisor: Prof. Dr. Byeong-Hyeok Sohn

■ Educational Background

- Mar 2009 – Aug 2015 **Ph.D. in Chemistry, Seoul National University.**
Department of Chemistry (division of polymer chemistry)
Dissertation Title: Arrays of ordered nanostructures synthesized from diblock copolymers and their micelles for large-area graphene nanopatterning
Advisor: Prof. Dr. Byeong-Hyeok Sohn
- Mar 2005 – Feb 2009 **B.S. in Chemistry, Seoul National University.**
Department of Chemistry
(double major) **B.S. in Physics, Seoul National University.**
Department of Physics and Astronomy
-

■ Theses

- [1] Kim, S.-S. Arrays of ordered nanostructures synthesized from diblock copolymers and their micelles for large-area graphene nanopatterning. Ph.D. Dissertation, Seoul National University, Seoul, 2015.
- [2] Kim, S.-S. Concentration of Ca^{2+} measured by Cameleon based on fluorescence resonance energy transfer (FRET) spectroscopy. B.S. Thesis (Chemistry), Seoul National University, Seoul, 2009.
- [3] Kim, S.-S. Application of polymer nanocomposite to photovoltaic cells. B.S. Thesis (Physics), Seoul National University, Seoul, 2009.
-

■ Honors and Awards

- 2014 Best presenter award, The Polymer Society of Korea.
- 2013 Best poster award, Germany-Korean Polymer Symposium (GKPS).
- 2011 Best poster award, Institute of Electrical and Electronics Engineers (IEEE) Nanotechnology Materials and Device Conference (NMDC).
- 2011 Kwanjeong educational foundation scholarship
- 2009 Graduation with honor (*Summa Cum Laude*), Seoul National University.
- 2006, 2009 Prize for exceptional performance, College of Natural Sciences, Seoul National University.
- 2005–2010 National science & technology scholarship, the Ministry of Education, Science, and Technology, Republic of Korea.
-

■ List of Peer-Reviewed Publications

(† indicates the equal contribution as co-first authors.)

-
- [1] Choi, Y.; Kim, S.-S.; Kim, J. H.; Kang, J.; Choi, E.; Choi, S. E.; Kim, J. P.; Kwon, O.; Kim, D. W. Graphene oxide nanoribbon hydrogel: viscoelastic behavior and use as a molecular separation membrane. *ACS Nano* **2020**, *in press*.
- [2] Koh, J. H.; Zhu, Q.; Asano, Y.; Maher, M. J.; Ha, H.; Kim, S.-S.; Cater, H. L.; Mapesa, E. U.; Sangoro, J. R.; Ellison, C. J.; Lynd, N. A.; Grant Willson, C. Unusual thermal properties of certain poly(3,5-disubstituted styrene)s. *Macromolecules* **2020**, *53* (13), 5504-5511.
- [3] Choi, J.; Kim, S.-S.; Chung, Y.-S.; Lee, S. Evolution of structural inhomogeneity in polyacrylonitrile fibers by oxidative stabilization. *Carbon* **2020**, *165*, 225-237.
- [4] Kim, S.-S.†; Lau, C. M.†; Lillie, L. M.; Tolman, W. B.; Reineke, T. M.; Ellison, C. J. Degradable thermoset films and fibers from carbohydrate-derived diols via thiol-ene photopolymerization. *ACS Appl. Polym. Mater.* **2019**, *1* (11), 2933-2942.
- [5] Kang, H.; Kim, S.-S.; Yoo, S. I.; Sohn, B.-H. Dichroic plasmon superstructures of Au nanorods over macroscopic areas via directed self-assemblies of diblock copolymers. *Adv. Mater. Interfaces* **2019**, *6* (22), 1901257.
- [6] Kim, G.; Kim, S.-S.; Jeon, J.; Yoon, S. I.; Hong, S.; Cho, Y. J.; Misra, A.; Ozdemir, S.; Ghazaryan, D.; Holwill, M.; Mishchenko, A.; Andreeva, D. V.; Kim, Y.-J.; Jeong, H.-Y.; Jang, A.-R.; Chung, H.J.; Geim, A. K.; Novoselov, K. S.; Sohn, B.-H.; Shin, H. S. Planar and van der Waals heterostructures for vertical tunnelling single electron transistors. *Nat. Commun.* **2019**, *10*, 230.
- [7] Bratton, A. F.; Kim, S.-S.; Ellison, C. J.; Miller, K. M. Thermomechanical and conductive properties of thiol-ene poly(ionic liquid) networks containing backbone and pendant imidazolium groups. *Ind. Eng. Chem. Res.* **2018**, *57* (48), 16526-16536.
- [8] Xu, J.; Eagan, J. M.; Kim, S.-S.; Pan, S.; Lee, B.; Klimovica, K.; Jin, K.; Lin, T.-W.; Howard, M. J.; Ellison, C. J.; LaPointe, A. M.; Coates, G. W.; Bates, F. S. Compatibilization of isotactic polypropylene (*i*PP) and high-density polyethylene (HDPE) with *i*PP-PE multiblock copolymers. *Macromolecules* **2018**, *51* (21), 8585-8596.
- [9] Jin, K.; Kim, S.-S.; Xu, J.; Bates, F. S.; Ellison, C. J. Melt-blown cross-linked fibers from thermally reversible diels-alder polymer networks. *ACS Macro Lett.* **2018**, *7* (11), 1339-1345.
- [10] Kim, S.-S.; Ha, H.; Ellison, C. J. Soybean oil-based thermoset films and fibers with high biobased carbon content via thiol-ene photopolymerization. *ACS Sustainable Chem. Eng.* **2018**, *6* (7), 8364-8373.
- [11] Kim, S.-S.; Kang, D.; Sohn, B.-H. Fabrication of size-controlled nanoring arrays by selective incorporation of ionic liquids in diblock copolymer micellar cores. *Nanotechnology* **2017**, *28* (22), 225303.
- [12] Oh, H.; Jo, J.; Tchoe, Y.; Yoon, H.; Lee, H. H.; Kim, S.-S.; Kim, M.; Sohn, B.-H.; Yi, G.-C. Centimeter-size epitaxial h-BN films, *NPG Asia Mater.* **2016**, *8*, e330.
- [13] Lee, S.; Jang, S.; Kim, K.; Jeon, J.; Kim, S.-S.; Sohn, B.-H. Branched and crosslinked supracolloidal chains with diblock copolymer micelles having three well-defined patches. *Chem. Commun.* **2016**, *52* (60), 9430-9433.
- [14] Kim, S.-S.; Sohn, B.-H. Catalytic tailoring of large-area reduced graphene oxide by tunable arrays of Pt nanostructures synthesized from self-assembling diblock

copolymers. *Carbon*, **2016**, *107*, 124-131.

- [15] Kim, S.-S.; Sohn, B.-H. Template-assisted self-assembly of diblock copolymer micelles for non-hexagonal arrays of Au nanoparticles. *RSC Adv.* **2016**, *6* (47), 41331-41339.
- [16] Kim, S.-S.[†]; Park, M. J.[†]; Kim, J.-H.; Ahn, G.; Ryu, S.; Hong, B. H.; Sohn, B.-H. Strain-assisted wafer-scale nanoperforation of single-layer graphene by arrayed Pt nanoparticles. *Chem. Mater.* **2015**, *27* (20), 7003-7010.
- [17] Han, D.[†]; Kim, S.-S.[†]; Kim, Y.-R.; Sohn, B.-H.; Chung, T. D. Surface coverage and size effects on electrochemical oxidation of uniform gold nanoparticles. *Electrochem. Commun.* **2015**, *53*, 11-14.
- [18] Seo, M.-S.; Kim, J.-H.; Kim, S.-S.; Kang, H.; Sohn, B.-H. Transferrable superhydrophobic TiO₂ nanorods on reduced graphene oxide films using block copolymer templates. *Nanotechnology* **2015**, *26* (16), 165302.
- [19] Kim, J.-H. Kim, S.-S.; Sohn, B.-H. ZnO nanorods and nanowalls directly synthesized on flexible substrates with block copolymer templates. *J. Mater. Chem. C* **2015**, *3* (7), 1507-1512.
- [20] Kim, H.; Lim, Y.; Kim, S.; Kim, S.-S.; Sohn, B.-H. Nanoscale arrangement of diblock copolymer micelles with Au nanorods. *Nanotechnology* **2014**, *25* (45), 455602.
- [21] Kim, Y.-J.[†]; Kim, S.-S.[†]; Park, J. B.; Sohn, B.-H.; Yi, G.-C. Controlled growth of inorganic nanorod arrays using graphene nanodot seed layers. *Nanotechnology* **2014**, *25* (13), 135609.
- [22] Kim, S.-S.[†]; Kim, Y.-R.[†]; Chung, T. D.; Sohn, B.-H. Tunable decoration of reduced graphene oxide with Au nanoparticles for the oxygen reduction reaction. *Adv. Funct. Mater.* **2014**, *24* (19), 2764-2771. (inside cover; selected as one of Hottest Articles from the Advanced Materials family)
- [23] Kim, Y.-J.; Tukiman, H.; Lee, C.-H.; Kim, S.-S.; Park, J.; Sohn, B.-H.; Kim, M.; Yi, G.-C.; Jung, R.; Liu, C. Hydrothermal growth of ZnO microstructures on Ar plasma treated graphite. *Curr. Appl. Phys.* **2013**, *14* (3), 269-274.
- [24] Suh, Y. J.; Lu, N.; Park, S. Y.; Lee, T. H.; Lee, S. H.; Cha, D. K.; Lee, M. G.; Huang, J.; Kim, S.-S.; Sohn, B.-H.; Kim, G.-H.; Ko, M. J. Kim, J.; Kim, M. J. Three-dimensional observation of TiO₂ nanostructures by electron tomography. *Micron* **2013**, *46*, 35-42.
- [25] Kim, S.-S.; Choi, J.-Y.; Kim, K.; Sohn, B.-H. Large area tunable arrays of graphene nanodots fabricated using diblock copolymer micelles. *Nanotechnology* **2012**, *23* (12), 125301.

■ Manuscripts under Peer Review and Pre-prints

- [1] Lee, Y.; Chung, Y.-S.; Lee, D. H.; Kim, S.-S.; Lee, S. Enhancing physical properties of mesophase pitch-based graphite fibers by modulating initial stabilization temperature. *Submitted.*
 - [2] Kang, D.; Lee, Y.; Park, K. H.; Bae, J.-S.; Jo, S. M.; Kim, S.-S.; Carbon fibers derived from oleic acid-functionalized lignin via thermostabilization accelerated by UV irradiation. *Submitted.*
-

■ Conference Presentations

- [1] Kim, S.-S.; Lau, C. M.; Lillie, L. M.; Tolman, W. B.; Reineke, T. M.; Ellison, C. J. Degradable thermoset fibers containing renewable carbohydrate-derived diol subunits. The 258th American Chemical Society National Meeting & Exposition, San Diego, CA, Aug 25-29, 2019.
- [2] Kim, S.-S. Catalytic nanopatterning of graphene using arrayed Pt nanostructures synthesized from thin films of diblock copolymers. Spring Meeting of the Korean Carbon Society, Daegu, Korea, May 16-17, 2019.
- [3] Kim, S.-S.; Ha, H.; Ellison, C. J. All soybean oil-based thermoset films and fibers with high biorenewable content. The 256th American Chemical Society National Meeting & Exposition, Boston, MA, Aug 19-23, 2018.
- [4] Kim, S.-S.; Ha, H.; Ellison, C. J. Thiol-ene photopolymerizations for manufacturing high-performance fibers. Annual Meeting of Industrial Partnership for Research in Interfacial & Materials Engineering, Minneapolis, MN, May 29-31, 2018.
- [5] Kim, S.-S.; Janes, D. W.; Shanmuganathan, K.; Chou, D. Y.; Ellison, C. J. Soybean oil based thermoset materials with high biorenewable content. Annual Meeting of American Institute of Chemical Engineers, Minneapolis, MN, Oct 29-Nov 3, 2017.
- [6] Kim, S.-S.; Young, W. W.; Oquendo, L. E.; Maher, M. J.; Zhou, S.; Asano, Y.; Hillmyer, M. A.; Wilson, C. G.; Ellison, C. J. High- χ block copolymers with high etch selectivity for sub-10 nm patterning. Annual Meeting of American Institute of Chemical Engineers, Minneapolis, MN, Oct 29-Nov 3, 2017.
- [7] Kim, S.-S.; Fang, Y.; Ellison, C. J. Thiol-ene photopolymerizations for manufacturing high-performance fibers. Annual Meeting of Industrial Partnership for Research in Interfacial & Materials Engineering, Minneapolis, MN, May 30-Jun 1, 2017.
- [8] Kim, S.-S.; Lee, C. S.; Sohn, B.-H. Directed self-assemblies of diblock copolymers for ordered inorganic nanostructures. The 251st American Chemical Society National Meeting & Exposition, San Diego, CA, Mar 13-17, 2016.
- [9] Kim, S.-S.; Sohn, B.-H. Nanopatterning of reduced graphene oxide by Pt nanostructures synthesized from diblock copolymers. Materials Research Society Spring Meetings & Exhibits, San Francisco, CA, Apr 6-10, 2015.
- [10] Kim, S.-S.; Sohn, B.-H. Pt nanostructures synthesized from diblock copolymers and their micelles to tailor large-area graphene. Materials Research Society Fall Meetings & Exhibits, Boston, MA, Nov 30-Dec 5, 2014.
- [11] Kim, S.-S.; Sohn, B.-H. Diblock copolymers and their micelles to fabricate catalytic Pt nanostructures for graphene etching. Fall Meeting of the Polymer Society of Korea, Jeju, Korea, Oct 6-8, 2014.
- [12] Kim, S.-S.; Kang, H.; Sohn, B.-H. Reduced graphene oxide films tailored by Pt nanostructures synthesized from diblock copolymers and their micelles. Spring Meeting of the Polymer Society of Korea, Daejeon, Korea, Apr 10-11, 2014.
- [13] Kim, S.-S.; Park, M. J.; Hong, B.H.; Sohn, B.-H. Arrays of Pt nanoparticles synthesized from diblock copolymer micelles for the perforation of graphene films. Korea-Germany International Research Training Group Symposium on Self-Organized Materials for Optoelectronics. Daejeon, Korea, Feb 17-22, 2014.
- [14] Kim, S.-S.; Park, M. J.; Hong, B.H.; Sohn, B.-H. Large-area nanoperforated graphene by arrays of nanoparticles fabricated from diblock copolymer micelles. Materials Research Society Fall Meetings & Exhibits, Boston, MA, Dec 1-6, 2013.

- [15] Kim, S.-S.; Sohn, B.-H. Complex arrays of titania nanostructures and metal nanoparticles fabricated by diblock copolymers and their micelles. The 112nd General Meeting of the Korean Chemical Society, Changwon, Korea, Oct 16-18, 2013.
- [16] Kim, S.-S.; Kim, J.-H.; Sohn, B.-H. Nanopatterning of reduced graphene oxide films by arrays of nanoparticles fabricated by diblock copolymer micelles. German-Korean Polymer Symposium, Hamburg, Germany, Aug 26-30, 2013.
- [17] Kim, S.-S.; Chae, S.; Lee, J.-K.; Sohn, B.-H. Transferable graphene films with nanoparticles by diblock copolymer micelles for electrochemical applications. Spring Meeting of the Polymer Society of Korea, Daejeon, Korea, Apr 11-12, 2013.
- [18] Kim, S.-S.; Kim, Y.-R.; Sohn, B.-H. Graphene films with arrays of nanoparticles by diblock copolymer micelles and their electrochemical properties. Korea-Germany International Research Training Group Symposium on Self-Organized Materials for Optoelectronics. Seoul, Korea, Feb 25-28, 2013.
- [19] Kim, S.-S.; Kim, Y.-R.; Sohn, B.-H. Nanopatterned and nanoparticle-decorated graphene in large area fabricated by diblock copolymer micelles. Materials Research Society Fall Meetings & Exhibits, Boston, MA, Nov 25-30, 2012.
- [20] Kim, S.-S.; Sohn, B.-H. Graphene decorated with arrays of tunable nanoparticles fabricated by diblock copolymer micelles. The 24th International Liquid Crystal Conference, Mainz, Germany, Aug 19-24, 2012.
- [21] Kim, S.-S.; Lee, Y.; Kim, J.-H.; Ku, S.; Sohn, B.-H. Fabrication of nanostructured titanium dioxides by nanotemplates of block copolymers. Institute of Electrical and Electronics Engineers Nanotechnology Materials and Device Conference, Jeju, Korea, Oct 18-21, 2011.
- [22] Kim, S.-S.; Kim, J.-H.; Ku, S.; Sohn, B.-H. Tunable and transferable arrays of Au nanoparticles on reduced graphene oxides. Fall Meeting of the Polymer Society of Korea, Gwangju, Korea, Oct 6-7, 2011.
- [23] Kim, S.-S.; Kim, J.-H.; Lee, Y.; Sohn, B.-H. Thin films of diblock copolymers and their micelles for the fabrication of inorganic nanostructures. The 242nd American Chemical Society National Meeting & Exposition, Denver, CO, Aug 28-Sep 1, 2011.
- [24] Kim, S.-S.; Kim, J.-H.; Chae, S.; Sohn, B.-H. Graphene nanodot arrays by diblock copolymer micelles. Spring Meeting of the Polymer Society of Korea, Daejeon, Korea, Apr 7-8, 2011.
- [25] Kim, S.-S.; Lee, Y.; Sohn, B.-H. Fabrication of nanostructured inorganic materials by self-assemblies of diblock copolymers. The 241st American Chemical Society National Meeting & Exposition, Anaheim, CA, Mar 27-31, 2011.
- [26] Kim, S.-S.; Jeon, S.-M; Kim, H. K.; Lee, Y.; Sohn, B.-H. Self-assemblies of diblock copolymers for nanostructured carbon and inorganic materials. The 240th American Chemical Society National Meeting & Exposition, Boston, MA, Aug 22-26, 2010.
- [27] Kim, S.-S.; Sohn, B.-H. Diblock copolymer micelle lithography for the fabrication of nanostructured carbon materials. Fall Meeting of the Polymer Society of Korea, Daegu, Korea, Oct 7-8, 2010.
-

■ Personal Skills

- Research (polymer)**
- Synthesis of copolymers by free radical polymerization
 - Fabrication and characterization of polymeric thin films
 - Self-assembly of diblock copolymers and their micelles
 - Microscopic characterization
 - atomic force microscope
 - scanning electron microscope
 - transmission electron microscope
 - Mechanical/rheological characterization
 - uniaxial tensile test
 - dynamic mechanical analysis
 - rheometer
 - Thermal characterization
 - differential scanning calorimetry
 - thermogravimetric analysis
 - Small- and wide-angle X-ray scattering technique
 - Electron beam lithography
- Research (chemistry)**
- Functionalization of biorenewable sources and polymers
 - Thiol-ene photopolymerization
 - Chemical characterization
 - one- and two-dimensional nuclear magnetic resonance spectroscopy
 - infrared spectroscopy
 - UV-visible light absorption spectroscopy
 - Chemical functionalization of lignin
- Research (carbon)**
- Thermostabilization of precursor fibers (PAN, pitch, and lignin)
 - Accelerated stabilization of lignin-derived fibers by irradiation techniques
- Language**
- Korean (native language)
 - English (C1, IELTS: International English Language Testing System)
 - Spanish (A2, DELE: Diplomas de Español como Lengua Extranjera)
 - Japanese (N3, JLPT: 日本語能力試験)
 - Russian and Chinese (basic)
-

■ Patents

- [1] Sohn, B.-H.; Han, C.-S.; Woo, J. Y.; Kim, S.-S. Fabricating method of graphene decorated with nanoparticles. KR 10-1620875-0000, May 9, 2016.
- [2] Sohn, B.-H.; Seo, M.-S.; Kim, S.-S.; Han, C.-S. Transferring method of nanorod. KR 10-1754783, Jun 30, 2017.
-